



### PROVIDES PRIVACY. DIVIDES SPACE.

Save time, money, and improve your facility usage with Screenflex Portable Room Dividers.



# QUALITY AND EXCELLENCE

Screenflex has a rich tradition of manufacturing excellence and versatile portable partition design. These factors combine to provide you long-lasting movable dividers which not only help you better utilize your space but are also aesthetically pleasing. We are here to assist you in finding the right room divider size and color to create classrooms, private areas, movable displays and more.





**A. POSITION CONTROL HINGES**Molded position control hinges help the divider remain in the desired configuration.



B. FULL-LENGTH HINGES
Aluminum hinges are
screwed into each panel
every four inches, from
top to bottom, to provide
strength and stability.



c. SOUND ABSORBING
Each panel is constructed using a ½" closed cell honeycomb core covered by two layers of fiberglass insulation on each side for maximum sound absorption.



D. UNMATCHED STABILITY
Sturdy end frames provide
maximum stability, and
have helped us earn
patent #6892784 "Stabilized
Portable Room Divider".



E. TACKABLE PANELS
Tack, pin, or staple
items directly onto the
panels.



F. STORAGE LATCHES
Locking storage latches on both ends keep the panels securely in place while moving or when storing the divider. Located at the bottom of the divider.



**G. OPTIONAL FEATURE**Optional chrome plated Multi-Unit Connector.



H. SELF-LEVELING CASTERS
Adjusting to uneven
surfaces, self-leveling casters
provide added stability.



I. LOCKING CORNER CASTERS
Pedal activated brakes
on end casters keep the
divider secure and stable.



J: COMPACT STORAGE
Stores compactly in a 2x3 ft space.

# INNOVATIVE FEATURES

Focusing on our customers and providing solutions to their space dividing needs are just two of the many reasons why Screenflex is the leader in the industry. We use the highest caliber of materials to create all of our innovative features which results in the superior construction of all of our room dividers.





**BEST SELLER** 

# STANDARD ROOM DIVIDER

### 6 Heights | 6 Lengths | 38 Colors

- Best-selling divider
- Divide rooms
- Display material
- Absorb sound
- Tackable panels

#### PRICES ARE PER ROOM DIVIDER

#### **DESIGNER FABRIC**

DB-LAKE DM-ROSE DO-WALNUT DX-CHARCOAL BLACK DT-WHITE DS-PRIMARY BLUE DY-PRIMARY YELLOW DR-PRIMARY RED DA-APPLE GREEN

DG-STONE DN-MALLARD DW-DESERT

DV-NAVY DP-PURPLE **DE-AUBURN** 

#### **EXCEL FABRIC**

**EB-SUMMER BLUE EM-CRANBERRY** EO-BEECH

DD-DARK BROWN

**DJ-ORANGE** 

EG-GREY SMOKE **EN-SEA GREEN EW-SAND** 

	LENGTH	HEIGHT						
		4'-0"	5'-0"	6'-0"	6'-8"	7'-4"	8'-0"	
	5'-9"	FSL403	FSL503	FSL603	FSL683	FSL743	FSL803	
	(3 panel divider)	72 lbs.	79 lbs.	86 lbs.	90 lbs.	99 lbs.	104 lbs.	
	9'-5"	FSL405	FSL505	FSL605	FSL685	FSL745	FSL805	
	(5 panel divider)	87 lbs.	97 lbs.	107 lbs.	111 lbs.	121 lbs.	128 lbs.	
V	13'-1"	FSL407	FSL507	FSL607	FSL687	FSL747	FSL807	
	(7 panel divider)	102 lbs.	115 lbs.	128 lbs.	132 lbs.	143 lbs.	152 lbs.	
	16'-9"	FSL409	FSL509	FSL609	FSL689	FSL749	FSL809	
	(9 panel divider)	117 lbs.	133 lbs.	149 lbs.	153 lbs.	165 lbs.	176 lbs.	
	20'-5"	FSL4011	FSL5011	FSL6011	FSL6811	FSL7411	FSL8011	
	(11 panel divider)	132 lbs.	151 lbs.	170 lbs.	174 lbs.	187 lbs.	200 lbs.	
	24'-1"	FSL4013	FSL5013	FSL6013	FSL6813	FSL7413	FSL8013	
	(13 panel divider)	147 lbs.	169 lbs.	191 lbs.	195 lbs.	209 lbs.	224 lbs.	





### WALLMOUNT

6 Heights | 6 Lengths | 38 Colors

- · Attaches to a wall at one end and opens with ease
- · Folds flat against the wall when stored
- End frame required for larger sizes
- Tackable panels

#### PRICES ARE PER ROOM DIVIDER

#### DB-LAKE DM-ROSE DO-WALNUT DX-CHARCOAL BLACK DT-WHITE DS-PRIMARY BLUE DR-PRIMARY RED DA-APPLE GREEN

DESIGNER FABRIC DG-STONE DN-MALLARD DW-DESERT DY-PRIMARY YELLOW DV-NAVY DP-PURPLE DE-AUBURN

#### **EXCEL FABRIC**

**EM-CRANBERRY** EO-BEECH

DJ-ORANGE

DD-DARK BROWN

**EG-GREY SMOKE** EN-SEA GREEN **EW-SAND** 

	LENGTH	HEIGHT						
	LLINGTTI	4'-0"	5'-0"	6'-0"	6'-8"	7'-4"	8'-0"	
	5'-6" (3 panel divider)	WM(L/R)403	WM(L/R)503	WM(L/R)603	WM(L/R)683	WM(L/R)743	WM(L/R)803	
	9'-2" (5 panel divider)	WM(L/R)405 55 lbs.	WM(L/R)505 67 lbs.	WM(L/R)605 74 lbs.	WM(L/R)685 86 lbs.		WM(L/R)805 122 lbs.	
Ν	12'-10" (7 panel divider)	WM(L/R)407 69 lbs.	WM(L/R)507 84 lbs.	WM(L/R)607 94 lbs.	WM(L/R)687 107 lbs.	WM(L/R)747 135 lbs.	WM(L/R)807 145 lbs.	
	16'-6" (9 panel divider)	WM(L/R)409 83 lbs.	WM(L/R)509 101 lbs.	WM(L/R)609 114 lbs.	WM(L/R)689 148 lbs.	WM(L/R)749 157 lbs.	WM(L/R)809 168 lbs.	
	20'-2" (11 panel divider)	WM(L/R)4011 97 lbs.	WM(L/R)5011 118 lbs.	WM(L/R)6011 154 lbs.	WM(L/R)6811 169 lbs.	WM(L/R)7411 179 lbs.	WM(L/R)8011 191 lbs.	
	23'-10" (13 panel divider)	WM(L/R)4013 111 lbs.	WM(L/R)5013 135 lbs.	WM(L/R)6013 174 lbs.	WM(L/R)6813 190 lbs.	WM(L/R)7413 201 lbs.	WM(L/R)8013 214 lbs.	





NOTE: <u>HAND</u>-(R) Right or (L) Left - Indicates to which side of the mounting point the divider panels stack when folded against the wall for storage. For example, ordering code WM(L)607-DR (shown above) indicates a WALLmount divider - left hand: 6'-0" high, 7 panels in length (12'-10"), primary red fabric.

#### These units require an end frame:

- -All 8ft dividers
- -All 11 panel dividers
- -All 13 panel dividers
- -6'-8"H, 7"-4"H, 8"-0" H

9 panel dividers





### HEAVY DUTY

2 Heights | 6 Lengths | 38 Colors

- Durability and functionality
- Robust construction
- Reinforced end frames
- Sound absorbing



Upper and Lower Gusset Plates



Powder Painted Industrial Hinges



Strengthened Leg Assembly Dual Heavy Duty Casters



Raised Storage Latch



vy Deep Channel ers Leg Supports



Reinforced End Upgraded Multi-Unit Frame Connector

LENGTH	HEIGHT			
LLINGTTI	6'-0"	7'-4"		
5'-9"	HFSL603	HFSL743		
(3 panel divider)	105 lbs.	122 lbs.		
9'-5"	HFSL605	HFSL745		
(5 panel divider)	125 lbs.	144 lbs.		
13'-1"	HFSL607	HFSL747		
(7 panel divider)	145 lbs.	166 lbs.		
16'-9"	HFSL609	HFSL749		
(9 panel divider)	165 lbs.	188 lbs.		
20'-5"	HFSL6011	HFSL7411		
(11 panel divider)	185 lbs.	210 lbs.		
24'-1"	HFSL6013	HFSL7413		
(13 panel divider)	205 lbs.	232 lbs.		






**BEST SELLER** 

### PLEXIGLASS DIVIDERS

1 Height | 4 Lengths

- Protects from germs
- Wipes clean
- Wet erase compatible
- Optional Multi-Unit Connector can attach multiple units together





\* Minor Assembly Required (1 panel only)

\*CRD1

55 lbs

CRD3

120 lbs

CRD5

185 lbs

CRD7

250 lbs

**LENGTH** 

3'-4"

(1 panel divider)

10'-0"

(3 panel divider)

16'-8"

(5 panel divider)

23'-4"

(7 panel divider)

HEIGHT 6'2

\*CRDFH1

55 lbs

CRDFH3

120 lbs

CRDFH5

185 lbs

CRDFH7

250 lbs

Frosted

CRDFF1

55 lbs

CRDFF3

120 lbs

CRDFF5

185 lbs

CRDFF7

250 lbs







### LIGHT DUTY

1 Height | 2 Lengths | 38 Colors

- Cost-effective
- Light-weight
- Glides effortlessly into position



Adjustable Casters



Position Control Hinges Included




Low Profile End Frame

LENGTH	HEIGHT			
LENGIA	6'-5"	Vinyl/Se-		
5'-9"	BFSL683	BFSL683		
(3 panel divider)	60 lbs.	60 lbs.		
9'-5"	BFSL685	BFSL685		
(5 panel divider)	75 lbs.	75 lbs.		

Minor Assembly Required





### HEALTHFLEX

SmartShield xLc™ Antimicrobial Surface Protectant

1 Height | 2 Lengths | 38 Colors

- Most economical portable divider
- Light-weight, durable, and flexible
- Antimicrobial coating helps reduce the spread of germs

LENGTH	HEIGHT 5'-9"
5'-9"	HKDL603
(3 panel divider)	45 lbs.
9'-5"	HKDL605
(5 panel divider)	55 lbs.

Minor Assembly Required





- Cost-effective
- Light-weight
- 3-point end frame on one side of divider

LENGTH				
LLINGTH	6'-0"	Vinyl/Select		
5'-8" (3 panel divider)	FTL603	FTL603		
7'-6"	FTL604	FTL604		
(4 panel divider)	86 lbs.	86 lbs.		
9'-4"	FTL605	FTL605		
(5 panel divider)	96 lbs.	96 lbs.		
11'-2"	FTL606	FTL606		
(6 panel divider)	106 lbs.	106 lbs.		
13'-0"	FTL607	FTL607		
(7 panel divider)	116 lbs.	116 lbs.		



Effective solution to modifying any space for instant distraction free privacy for testing and more.

#### **HEIGHT LENGTH** 6'-0" Vinyl/Select 3'-8" SCL602 SCL602 (2 panel divider) 17 lbs. 17 lbs. SCL603 SCL603 5'-6" (3 panel divider) 17 lbs. 17 lbs.

## STUDY CARRELS

1 Height | 2 Lengths | 38 Colors

- Cost-effective
- Light-weight
- Instant distraction free privacy
- Folds flat against wall





### WHITEBOARD

1 Height | 2 Lengths

- Dry Erase compatible
- Optional Multi-Unit Connector to attach multiple partitions together
- PaneLocks

LENGTH	HEIGHT 6'-2"
3'-4"	*CRDW1
(1 panel divider)	55 lbs.
10'-0"	CRDW3
(3 panel divider)	120 lbs.

Minor Assembly Required (1 panel only)



## **DISPLAY TOWER**

2 Heights | 2 Panel Options | 30 Colors

- Tack, pin, or staple artwork, flyers or other materials
- PaneLocks top and bottom
- Folds flat for storage
- Portable

LENGTH	HEIGHT			
LLNOTTI	5'-9"	6'-5"		
(3 panel divider)	DS603 35 lbs.	DS683 40 lbs.		
(6 panel divider)	DS606	DS686		
(0 paner annual)	60 lbs.	65 lbs.		





# ACOUSTICAL WALL PANEL

2 Depths | 6 sizes | 30 Colors

- Tack, pin, or staple artwork, flyers or other materials
- Dampens sound

VERTICAL MOUNT [ x 22" W ]							
HEIGHT	42"	54"	66"	74"	82"	90"	
¾" Depth	WPS40	WPS50	WPS60	WPS68	WPS74	WPS80	
1½" Depth	WPD40	WPD50	WPD60	WPD68	WPD74	WPD80	
	HORIZONTAL MOUNT [ x 22"H ]						
LENGTH	42"	54"	66"	74"	82"	90"	
¾" Depth	WPSH40	WPSH50	WPSH60	WPSH68	WPSH74	WPSH80	
1½" Depth	WPDH40	WPDH50	WPDH60	WPDH68	WPDH74	WPDH80	

### **Product Options**



#### Multi-Unit Connector

The optional chrome plated Multi-Unit Connector is affixed to the end frame of most Room Dividers. This allows two or more room dividers to be connected to form longer lengths. One set per divider.





#### Door Panel

This swing-style door opens 90° from either direction and can be held open by an industrial magnet. An optional window may be added if desired. A door panel adds 24" of length to the end of the divider. Multi-unit connector included. 38 colors.

DOOR PANEL HEIGHT						
4'-0"	5'-0"	6'-0"	6'-8"	7'-4"	8'-0"	
DR40	DR50	DR60	DR68	DR74	DR80	



#### Wall Frame

Once installed on a wall, this innovative option converts movable dividers or door panels into a semi-permanent installation. Mounts directly to wall and can accommodate divider or door panel. Multi-Unit connector included.

WALL FRAME HEIGHT						
6'-0"	6'-8"	7'-4"	8'-0"			
WF60	WF68	WF74	WF80			



#### Windows

Factory installed plexiglass windows are available in three sizes. Some restrictions apply. Call for details.

10" x 10"	20" x 24"	20" x 48"
WD-KIT	WD-KIT-M	WD-KIT-L





#### Artwork Hanger

Each 45" metal Artwork Hanger has eight pre-formed stamped hooks that provide light-weight support. Use to hang items or materials not suitable for pinning. Weight restrictions apply. 8 hooks/Hanger. Hooks are 5" apart. Call for details.






#### Storage Caddy

This durable nylon Storage Caddy fits over the end frame of most room dividers. Two zippered pouches and six open pockets provide storage for notebooks, pens, art materials and more.





#### Dry Erase Panels

Convert any Screenflex panel into a dry erase panel with bright white material that can be written on and wiped clean over and over again. Prices shown are **per side**. Installed in place of fabric. Installed on one or both sides.


\*Some restrictions apply.

HEIGHT					
4'-0"	5'-0"	6'-0"	6'-8"	7'-4"	8'-0"
DE40	DE50	DE60	DE68	DE74	DE80



#### Markerboard

The optional hanging Markerboard hooks over the top of most room dividers. The included straps are adjustable for several mounting options. Surface is 1/4" thick and is dry erase compatible. 36"H x 42"L. Melamine surface. Brackets included.





#### Scotchgard™

Factory applied Scotchgard™ fabric protector helps safeguard room dividers from dirt and stains. Available on most room dividers.

SCOTCHGARD™ SCOTCH

#### DESIGNER Fabric Colors

Standard, WALLmount, Heavy Duty, Light Duty, Healthflex, FlexFit, Study Carrels, Display Towers, Acoustical Wall Panels

#### scrnflx.us/designer



#### EXCEL Fabric

Standard, WALLmount, Heavy Duty, Light Duty, Healthflex, FlexFit, Study Carrels, Display Towers, ,Acoustical Wall Panels

#### scrnflx.us/excel



#### UPGRADED FABRIC AND VINYL COLORS (7% UPCHARGE)

#### SELECT Fabric

Standard, WALLmount, Heavy Duty, Light Duty, Healthflex, FlexFit, Study Carrels, Display Towers, Acoustical Wall Panels

#### scrnflx.us/select



#### **ROYAL Vinyl**

Standard, WALLmount, Heavy Duty, Light Duty, Healthflex, FlexFit, Study Carels

#### scrnflx.us/vinyl



#### STANDARD MODEL PRODUCT SPECIFICATIONS

- Panels Consist of a ½" Closed Cell Honeycomb Core
- ¾" Depth Sound Absorbing Tackable Panels
- Panels are Bonded with Two Layers of Fiberglass Insulation
- Each Panel is Wrapped in Vinyl or 100% Recycled Non-Woven Polyester Fabric
- #18 Gauge Metal Trim Surrounds Each Panel
- Full-Length Aluminum Hinges Join Each 22" Wide Panel Every Four Inches
- Accordion Style Construction Allows Joined Panels to Unfold 180 Degrees

- Position Control Hinges (top) Help Hold Panels in Place
- · Non-Marking Hard Rubber Self-Leveling Casters
- Inner Legs Extend Only 3½" Per Side with 2" Casters
- 29½" Wide, 36" High Steel End Frame with 3" Locking Casters
- Each Height Includes a 5½" Space Between the Floor and the Bottom of the Divider
- · Required Space for Divider Storage is 2' x 3', with Locking Storage Latch on Each End Frame
- Manufactured Under the Protection of US Patent Number 6892784...Stabilized Portable Room Divider

#### WARRANTY INFORMATION

Manufacturer warrants its products to the original purchaser to be free from defects in workmanship and material for three years from the date of delivery. This limited warranty does not cover misuse, abuse, improper storage, neglect, or damage beyond the control of the manufacturer. Manufacturer's obligation under this warranty shall be limited to the repair or exchange of any part which proves defective under normal use and service. Manufacturer reserves the right to modify specifications, design, and materials without prior notice. Products are manufactured by Screenflex Portable Partitions Inc., Lake Zurich, IL.

#### SHIPPING INFORMATION

Most units ship fully assembled from the Screenflex manufacturing facility in Lake Zurich, IL 60047. Most orders ship within 5-10 business days. Shipping rates vary by destination.









